



Strength in Every Joint

Fixing & Supporting
Systems



Factory:
Third Industrial Zone
10th of Ramadan City, Cairo, Egypt.

2PQ.COM



GENERAL CLAMP & FIXING SYSTEM



ABOUT 2PQ



2PQ Fixing Systems is a premium provider of pipe clamps, fastening hardware, anchoring solutions, and support profiles for construction and mechanical industries. Built on technical precision and superior material engineering, 2PQ products are trusted in high-performance applications across HVAC, fire safety, industrial, and civil infrastructure.

We manufacture and supply a complete range of pipe clamps, fasteners, anchor systems, and support profiles, designed to meet the needs of contractors, engineers, and industrial maintenance professionals across sectors.



OUR MISSION

At 2PQ, we deliver engineered quality — with every clamp, every bracket, every component. We support progress through products built to perform, even in the most demanding environments.



OUR VISION

To be the partner of choice for high-performance support and fixing systems across global infrastructure and industrial projects.



OUR VALUES

- | | |
|--|---|
| 01 Continuousl innovative and high qualified service | 04 Being senstitive to people and the environment |
| 02 High level of self confidence and team spirit | 05 Seeing our employees, suppliers and customer as strategic business and solution partners and to constantly developing together |
| 03 Behaving principles by not compromising our ethical rules | |

TECNICAL FEATURES

Clamp Body:		
Material:	Cold-Rolled Carbon Steel Grade Dc01 according to EN 10 130: 2006	
Hardness:	(+5) 50 Shore	

Rubber:		
Material:	Epdm	
Standard:	Noise reduction level up to 18 dB according to DIN 4109	
Hardness:	76 Shore	
Temperature Range:	Between -40°C and +120°C.	

Nut:		
Material:	Iron	
Standard:	DIN EN ISO 898-2	
Hardness (HV):	150-302, Welded on clamp body by arc gas welding	

NUT LOAD				
Nut Type	Nut Size	Nut Range	Pull Off Test (KN)	Pull Off Test(KG)
Hex Nut	M8	1/4" to 2"	9	55
Hex Nut	M10	2 1/2" to 10"	14	70
Combi Nut	M8+M10	1/4" to 10"	9	55
Combi Nut	M8+M10	1/4" to 10"	14	70

NUT WELDING STRENGTH		
Clamp Thickness (mm)	Size Range	Welding Strength (NM)
1.0 mm	1/4" to 1"	55
1.2 mm	1 1/4" to 2"	65
1.5 mm	2 1/2" to 4"	75
2.0 mm	4 1/2" to 10"	75

Bolts/Screws:		
Material:	Iron	
Standard:	Are produced according to EN 10 204 3.1. M5 and M6 profile head with washer	

Clamps are manufactured according to the following standards:	
EN 10130	Mechanical and Chemical Properties of cold rolled carbon steel standard.
DIN 4109	Rubber noise reduction standard
ASTM- B633	Electro galvanized zinc plating standard

PIPE CLAMP SELECTION TABLE

STANDARD TYPE CLAMP		PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1/4"	13-20	1/4"	13,1
3/8"	17-23	3/8"	17,2
1/2"	21-26	1/2"	21,3
3/4"	26-30	3/4"	26,9
1"	33-37	1"	33,7
1 1/4"	40-46	1 1/4"	42,4
1 1/2"	48-53	1 1/2"	48,3
53 - 59	53-59	intermediate size'	
2"	60-66	2"	60-66
67 - 77	67-77	intermediate size'	
2 1/2"	75-84	2 1/2"	75-84
83 - 93	83-93	intermediate size	
3"	87-96	3"	88,9
3 1/2"	94-104	3 1/2"	intermediate size
4"	109-119	4"	114,3
4 1/2"	118-125	4 1/2"	intermediate size
5"	135-146	5"	139,7
5 1/2"	150-162	5 1/2"	intermediate size
6"	158-169	6"	168,3
7"	197-207	7"	intermediate size
8"	216-224	8"	219,1
10"	269-275	10"	intermediate size

HEAVY DUTY CLAMP		PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1"	33-40	1"	33,7
1 1/4"	41-48	1 1/4"	42,4
1 1/2"	48-56	1 1/2"	48,3
2"	60-69	2"	60,3
2 1/2"	76-84	2 1/2"	76,1
3"	87-95	3"	88,9
4"	109-119	4"	114,3
5"	136-147	5"	139,7
6"	164-174	6"	168,3
8"	214-226	8"	219,1
10"	266-274	10"	273


PIPE CLAMP SELECTION TABLE


STANDARD TYPE CLAMP		PPRC PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1/2"	21-26	20	26,8
1"	33-37	25	33,4
1 1/4"	40-46	32	42,8
1 1/2"	48-53	40	53,4
2"	60-66	50	66,6
2 1/2"	75-84	63	84
3"	94-104	75	100
4"	109-119	90	120
5"	135-146	110	146,6

HEAVY DUTY CLAMP		PVC PIPE	
SIZE	CLAMPING RANGE	SIZE	DIAMETER
	(mm)	(Inch)	(mm)
1 1/2"	48-53	50	50
2 1/2"	75-84	70	75
4"	109-119	100	110
4 1/2"	118-125	125	125
5 1/2"	150-162	150	158

* Standart Clamp: Pipe clamps with nut, with combi nut, with screw, with long screw.

PIPE CLAMP WITH NUT (SET)






SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

**3 products are packed in a plastic bag

Product Code	Dimensions		Thickness X	Side Screws	Nut	Adaptor	Plastic	Quantity Per	Weight
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Triphone	Dubel	Boxes	Per Box
						LXT2 (mm)	E (mm)	Pcs/box	(kg)
2PQ 0015 A8x80 S	13 - 20	1/4 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,10
2PQ 0018 A8x80 S	17 - 23	3/8 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,60
2PQ 0020 A8x80 S	21 - 26	1/2 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,75
2PQ 0025 A8x80 S	26 - 30	3/4 "	1,00 X 20	M5X15	M8	8 X 80	M10	130	9,18
2PQ 0032 A8x80 S	33 - 37	1 "	1,00 X 20	M5X15	M8	8 X 80	M10	120	9,14
2PQ 0040 A8x80 S	40 - 46	1 1/4 "	1,20 X 20	M5X15	M8	8 X 80	M10	100	9,03
2PQ 0048 A8x80 S	48 - 53	1 1/2 "	1,20 X 20	M5X15	M8	8 X 80	M10	100	9,50
2PQ 0054 A8x80 S	53 - 59	53 - 59	1,20 X 20	M5X15	M8	8 X 80	M10	100	7,60
2PQ 0056 A8x80 S	60 - 66	2 "	1,20 X 20	M5X15	M8	8 X 80	M10	60	6,26
2PQ 0067 A10x80 S	67 - 77	67 - 77	1,50 X 25	M6X30	M10	10 X 80	M12	40	6,46
2PQ 0075 A10x80 S	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	8,41
2PQ 0083 A10x80 S	83 - 93	83 - 93	1,50 X 20	M6X30	M10	10 X 80	M12	40	8,62
2PQ 0086 A10x80 S	87 - 96	3 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	9,21
2PQ 0097 A10x80 S	94 - 104	3 1/2"	1,50 X 25	M6X30	M10	10 X 80	M12	40	10,64
2PQ 0101 A10x80 S	109 - 119	4 "	1,50 X 25	M6X30	M10	10 X 80	M12	35	9,28
2PQ 0123 A10x80 S	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	35	11,30
2PQ 0138 A10x80 S	135 - 146	5 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	10,41
2PQ 0160 A10x80 S	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	11,29
2PQ 0166 A10x80 S	158 - 169	6 "	2,00 X 25	M6X30	M10	10 X 80	M12	20	8,21
2PQ 0195 A10x80 S	197 - 207	7 "	2,00 X 25	M6X30	M10	10 X 80	M12	25	10,03
2PQ 0216 A10x80 S	216 - 224	8 "	2,00 X 25	M6X30	M10	10 X 80	M12	20	10,44
2PQ 0270 A10x80 S	269 - 275	10 "	2,00 X 25	M6X30	M10	10 X 80	M12	10	10,95


PIPE CLAMP WITH NUT



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 S	13 - 20	1/4 "	1,00 X 20	M5X15	M8	300	11,72
2PQ 0018 S	17 - 23	3/8 "	1,00 X 20	M5X15	M8	300	12,01
2PQ 0020 S	21 - 26	1/2 "	1,00 X 20	M5X15	M8	300	12,61
2PQ 0025 S	26 - 30	3/4 "	1,00 X 20	M5X15	M8	200	9,20
2PQ 0032 S	33 - 37	1 "	1,00 X 20	M5X15	M8	200	10,61
2PQ 0040 S	40 - 46	1 1/4 "	1,20 X 20	M5X15	M8	100	6,51
2PQ 0048 S	48 - 53	1 1/2 "	1,20 X 20	M5X15	M8	120	8,69
2PQ 0054 S	53 - 59	53 - 59	1,20 X 20	M5X15	M8	120	8,82
2PQ 0056 S	60 - 66	2 "	1,20 X 20	M5X15	M8	75	7,03
2PQ 0067 S	67 - 77	67 - 77	1,50 X 25	M6X30	M10	75	7,45
2PQ 0075 S	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	50	7,82
2PQ 0083 S	83 - 93	83 - 93	1,50 X 20	M6X30	M10	40	7,31
2PQ 0086 S	87 - 96	3 "	1,50 X 25	M6X30	M10	40	7,34
2PQ 0097 S	94 - 104	3 1/2 "	1,50 X 25	M6X30	M10	40	7,75
2PQ 0101 S	109 - 119	4 "	1,50 X 25	M6X30	M10	40	8,78
2PQ 0123 S	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	50	12,34
2PQ 0138 S	135 - 146	5 "	2,00 X 25	M6X30	M10	25	7,91
2PQ 0160 S	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	25	8,58
2PQ 0166 S	158 - 169	6 "	2,00 X 25	M6X30	M10	25	8,91
2PQ 0195 S	197 - 207	7 "	2,00 X 25	M6X30	M10	25	9,38
2PQ 0216 S	216 - 224	8 "	2,00 X 25	M6X30	M10	20	9,59
2PQ 0270 S	269 - 275	10 "	2,00 X 25	M6X30	M10	10	8,87


PIPE CLAMP WITH COMBI NUT



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 KS	13 - 20	1/4 "	1,00 X 20	M5X15	M8/10	300	12,61
2PQ 0018 KS	17 - 23	3/8 "	1,00 X 20	M5X15	M8/10	300	14,01
2PQ 0020 KS	21 - 26	1/2 "	1,00 X 20	M5X15	M8/10	300	14,18
2PQ 0025 KS	26 - 30	3/4 "	1,00 X 20	M5X15	M8/10	200	10,25
2PQ 0032 KS	33 - 37	1 "	1,00 X 20	M5X15	M8/10	200	12,01
2PQ 0040 KS	40 - 46	1 1/4 "	1,20 X 20	M5X15	M8/10	100	9,62
2PQ 0048 KS	48 - 53	1 1/2 "	1,20 X 20	M5X15	M8/10	120	9,76
2PQ 0054 KS	53 - 59	53 - 59	1,20 X 20	M5X15	M8/10	120	8,69
2PQ 0056 KS	60 - 66	2 "	1,20 X 20	M5X15	M8/10	75	6,80
2PQ 0067 KS	67 - 77	67 - 77	1,50 X 25	M6X30	M8/10	75	7,03
2PQ 0075 KS	75 - 84	2 1/2 "	1,50 X 25	M6X30	M8/10	50	8,28
2PQ 0083 KS	83 - 93	83 - 93	1,50 X 20	M6X30	M8/10	40	7,34
2PQ 0086 KS	87 - 96	3 "	1,50 X 25	M6X30	M8/10	40	7,82
2PQ 0097 KS	94 - 104	3 1/2 "	1,50 X 25	M6X30	M8/10	40	7,85
2PQ 0101 KS	109 - 119	4 "	1,50 X 25	M6X30	M8/10	40	8,98
2PQ 0123 KS	118 - 125	4 1/2 "	2,00 X 25	M6X30	M8/10	50	12,61
2PQ 0138 KS	135 - 146	5 "	2,00 X 25	M6X30	M8/10	25	7,26
2PQ 0160 KS	150 - 162	5 1/2 "	2,00 X 25	M6X30	M8/10	25	8,71
2PQ 0166 KS	158 - 169	6 "	2,00 X 25	M6X30	M8/10	25	8,73
2PQ 0195 KS	197 - 207	7 "	2,00 X 25	M6X30	M8/10	25	9,58
2PQ 0216 KS	216 - 224	8 "	2,00 X 25	M6X30	M8/10	20	11,30
2PQ 0270 KS	269 - 275	10 "	2,00 X 25	M6X30	M8/10	10	11,41


PIPE CLAMP WITH TRIPHONE 7X70



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Triphone	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 KT	13 - 20	1/4 "	1,00 X 20	M5X15	7 X 70	200	9,50
2PQ 0018 KT	17 - 23	3/8 "	1,00 X 20	M5X15	7 X 70	200	9,40
2PQ 0020 KT	21 - 26	1/2 "	1,00 X 20	M5X15	7 X 70	200	9,50
2PQ 0025 KT	26 - 30	3/4 "	1,00 X 20	M5X15	7 X 70	200	10,50
2PQ 0032 KT	33 - 37	1 "	1,00 X 20	M5X15	7 X 70	150	9,10
2PQ 0040 KT	40 - 46	1 1/4 "	1,20 X 20	M5X15	7 X 70	100	6,30
2PQ 0048 KT	48 - 53	1 1/2 "	1,20 X 20	M5X15	7 X 70	100	6,80
2PQ 0054 KT	53 - 59	53 - 59	1,20 X 20	M5X15	7 X 70	75	5,90
2PQ 0056 KT	60 - 66	2 "	1,20 X 20	M5X15	7 X 70	75	5,90
2PQ 0067 KT	67 - 77	67 - 77	1,50 X 25	M6X30	7 X 70	40	6,30
2PQ 0075 KT	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 70	40	6,30
2PQ 0083 KT	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 70	40	7,30
2PQ 0086 KT	87 - 96	3 "	1,50 X 25	M6X30	7 X 70	40	7,30
2PQ 0097 KT	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 70	40	7,50
2PQ 0101 KT	109 - 119	4 "	1,50 X 25	M6X30	7 X 70	40	7,90
2PQ 0123 KT	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 70	30	7,40
2PQ 0138 KT	135 - 146	5 "	2,00 X 25	M6X30	7 X 70	25	7,30
2PQ 0160 KT	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 70	25	6,60
2PQ 0166 KT	158 - 169	6 "	2,00 X 25	M6X30	7 X 70	25	8,70
2PQ 0195 KT	197 - 207	7"	2,00 X 25	M6X30	7 X 70	15	8,80
2PQ 0216 KT	216 - 224	8"	2,00 X 25	M6X30	7 X 70	10	8,98
2PQ 0270 KT	269 - 275	10"	2,00 X 25	M6X30	7 X 70	7	8,62

PIPE CLAMP WITH TRIPHONE 7X100



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/4" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6


Product Code	Dimensions		Thickness X Width	Side Screws	Triphone	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 UT	13 - 20	1/4 "	1,00 X 20	M5X15	7 X 100	150	8,70
2PQ 0018 UT	17 - 23	3/8 "	1,00 X 20	M5X15	7 X 100	150	8,70
2PQ 0020 UT	21 - 26	1/2 "	1,00 X 20	M5X15	7 X 100	150	8,70
2PQ 0025 UT	26 - 30	3/4 "	1,00 X 20	M5X15	7 X 100	150	8,80
2PQ 0032 UT	33 - 37	1 "	1,00 X 20	M5X15	7 X 100	100	8,90
2PQ 0040 UT	40 - 46	1 1/4 "	1,20 X 20	M5X15	7 X 100	75	6,30
2PQ 0048 UT	48 - 53	1 1/2 "	1,20 X 20	M5X15	7 X 100	75	7,10
2PQ 0054 UT	53 - 59	53 - 59	1,20 X 20	M5X15	7 X 100	50	4,70
2PQ 0056 UT	60 - 66	2 "	1,20 X 20	M5X15	7 X 100	50	4,70
2PQ 0067 UT	67 - 77	67 - 77	1,50 X 25	M6X30	7 X 100	40	6,80
2PQ 0075 UT	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 100	40	6,80
2PQ 0083 UT	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 100	30	5,80
2PQ 0086 UT	87 - 96	3 "	1,50 X 25	M6X30	7 X 100	30	5,80
2PQ 0097 UT	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 100	30	7,80
2PQ 0101 UT	109 - 119	4 "	1,50 X 25	M6X30	7 X 100	30	8,10
2PQ 0123 UT	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 100	25	7,40
2PQ 0138 UT	135 - 146	5 "	2,00 X 25	M6X30	7 X 100	20	6,50
2PQ 0160 UT	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 100	20	7,01
2PQ 0166 UT	158 - 169	6 "	2,00 X 25	M6X30	7 X 100	20	6,60
2PQ 0195 UT	197 - 207	7"	2,00 X 25	M6X30	7 X 100	15	8,70
2PQ 0216 UT	216 - 224	8"	2,00 X 25	M6X30	7 X 100	10	9,02
2PQ 0270 UT	269 - 275	10"	2,00 X 25	M6X30	7 X 100	7	8,60

CLEVIS HANGER



Product Code	Dimensions		H (mm)	D (mm)	A (mm)	R	Steel Dimensions TXB		Design Load kN
	(mm)	(inch)					Upper (mm)	Lower (mm)	
2PQ CH 0025	25	1 "	78	35	58	M10	3X25	3X25	2,77
2PQ CH 0032	32	1 1/4 "	88	46	63	M10	3X25	3X25	2,77
2PQ CH 0040	40	1 1/2 "	101	57	79	M10	3X25	3X25	2,77
2PQ CH 0050	50	2 "	123	63	78	M10	3X25	3X25	2,77
2PQ CH 0065	65	2 1/2 "	155	79	96	M12	3X30	3X30	5,00
2PQ CH 0080	80	3 "	170	100	111	M12	4X30	4X30	5,00
2PQ CH 0100	100	4 "	210	111	138	M16	4X30	4X30	6,30
2PQ CH 0125	125	5 "	246	127	163	M16	5X30	5X30	6,30
2PQ CH 0150	150	6 "	283	144	191	M20	5X40	5X40	8,60
2PQ CH 0200	200	8 "	372	181	231	M20	6X40	5X40	8,81
2PQ CH 0250	250	10 "	435	212	308	M22	10X40	6X40	16,00

SILENT PIPE CLAMP WITH NUT (HORIZONTAL)



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
Ø50	4,8	1,6
Ø75	6,9	2,3
Ø110	6,9	2,3
Ø125	7,8	2,3
Ø160	7,8	2,3
Ø200	7,8	2,3

Product Code	Dimensions		Thickness X Width TXB (mm)	Side Screws R (mm)	Nut S (mm)	Quantity Per Boxes Pcs/box
	(mm)	(inch)				
2PQ 0056 SY	60 - 66	2 "	1,20 X 20	M5X15	M8	75
2PQ 0075 SY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	50
2PQ 0086 SY	87 - 96	3 "	1,50 X 25	M6X30	M10	40
2PQ 0110 SY	109 - 119	4 "	1,50 X 25	M6X30	M10	40
2PQ 0125 SY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	50
2PQ 0138 SY	135 - 146	5 "	2,00 X 25	M6X30	M10	25
2PQ 0160 SY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	25
2PQ 0166 SY	158 - 169	6 "	2,00 X 25	M6X30	M10	25
2PQ 0195 SY	197 - 207	7 "	2,00 X 25	M6X30	M10	20
2PQ 0216 SY	216 - 224	8 "	2,00 X 25	M6X30	M10	15
2PQ 0270 SY	269 - 275	10 "	2,00 X 25	M6X30	M10	10


SILENT PIPE CLAMP WITH TRIPHONE (HORIZONTAL)




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
Ø50	4,8	1,6
Ø75	6,9	2,3
Ø110	6,9	2,3

Product Code	Dimensions		Thickness X Width	Side Screws	Triphone	Quantity Per Boxes
	(mm)	(inch)	TXB (mm)	R (mm)	(mm)	Pcs/box
2PQ 0056 TY	60 - 66	2 "	1,20 X 20	M5X15	7X70	75
2PQ 0075 TY	75 - 84	2 1/2 "	1,50 X 25	M6X30	7X70	50
2PQ 0086 TY	87 - 96	3 "	1,50 X 25	M6X30	7X70	40
2PQ 0110 TY	109 - 119	4 "	1,50 X 25	M6X30	7X70	40
2PQ 0125 TY	118 - 125	4 1/2 "	2,00 X 25	M6X30	7X70	50
2PQ 0138 TY	135 - 146	5 "	2,00 X 25	M6X30	7X70	25
2PQ 0160 TY	150 - 162	5 1/2 "	2,00 X 25	M6X30	7X70	25
2PQ 0166 TY	158 - 169	6 "	2,00 X 25	M6X30	7X70	25
2PQ 0195 TY	197 - 207	7 "	2,00 X 25	M6X30	7X70	20
2PQ 0216 TY	216 - 224	8 "	2,00 X 25	M6X30	7X70	15
2PQ 0270 TY	269 - 275	10 "	2,00 X 25	M6X30	7X70	10

NO RUBBER PIPE CLAMP WITH NUT (SET)




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6



Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Adaptor Triphone	Plastic Dubel	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	LXT2 (mm)	E (mm)	Pcs/box	(kg)
2PQ 0015 A8x80 SLY	20 - 24	1/2"	1,00 X 20	M5X15	M8	8 X 80	M10	130	7,80
2PQ 0018 A8x80 SLY	23 - 27	23 - 27	1,00 X 20	M5X15	M8	8 X 80	M10	130	7,94
2PQ 0020 A8x80 SLY	25 - 30	3/4"	1,00 X 20	M5X15	M8	8 X 80	M10	130	8,43
2PQ 0025 A8x80 SLY	31 - 36	1"	1,00 X 20	M5X15	M8	8 X 80	M10	120	8,58
2PQ 0032 A8x80 SLY	36 - 43	1 1/4"	1,20 X 20	M5X15	M8	8 X 80	M10	100	9,00
2PQ 0040 A8x80 SLY	44 - 50	1 1/2"	1,20 X 20	M5X15	M8	8 X 80	M10	100	8,96
2PQ 0048 A8x80 SLY	54 - 58	54 - 58	1,20 X 20	M5X15	M8	8 X 80	M10	60	8,85
2PQ 0054 A8x80 SLY	60 - 65	2"	1,20 X 20	M5X15	M8	8 X 80	M10	60	9,31
2PQ 0056 A8x80 SLY	64 - 71	64 - 71	1,20 X 20	M5X15	M8	8 X 80	M10	40	6,14
2PQ 0067 A10x80 SLY	68 - 74	68 - 74	1,50 X 25	M6X30	M10	10 X 80	M12	40	6,33
2PQ 0075 A10x80 SLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	8,15
2PQ 0083 A10x80 SLY	83 - 93	83 - 93	1,50 X 20	M6X30	M10	10 X 80	M12	40	9,21
2PQ 0086 A10x80 SLY	87 - 96	3 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	8,94
2PQ 0097 A10x80 SLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	M10	10 X 80	M12	40	10,32
2PQ 0101 A10x80 SLY	109 - 119	4 "	1,50 X 25	M6X30	M10	10 X 80	M12	35	9,01
2PQ 0123 A10x80 SLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	35	10,96
2PQ 0138 A10x80 SLY	135 - 146	5 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	10,09
2PQ 0160 A10x80 SLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	10 X 80	M12	30	10,95
2PQ 0166 A10x80 SLY	158 - 169	6 "	2,00 X 25	M6X30	M10	10 X 80	M12	20	7,97
2PQ 0195 A10x80 SLY	197 - 207	7"	2,00 X 25	M6X30	M10	10 X 80	M12	25	9,73
2PQ 0216 A10x80 SLY	216 - 224	8"	2,00 X 25	M6X30	M10	10 X 80	M12	20	10,12
2PQ 0270 A10x80 SLY	269 - 275	10"	2,00 X 25	M6X30	M10	10 X 80	M12	10	10,62



NO RUBBER PIPE CLAMP WITH NUT



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 SLY	20 - 24	1/2"	1,00 X 20	M5X15	M8	300	11,50
2PQ 0018 SLY	23 - 27	23 - 27	1,00 X 20	M5X15	M8	300	11,65
2PQ 0020 SLY	25 - 30	3/4"	1,00 X 20	M5X15	M8	300	12,23
2PQ 0025 SLY	31 - 36	1"	1,00 X 20	M5X15	M8	200	8,92
2PQ 0032 SLY	36 - 43	1 1/4"	1,20 X 20	M5X15	M8	200	10,29
2PQ 0040 SLY	44 - 50	1 1/2"	1,20 X 20	M5X15	M8	100	6,31
2PQ 0048 SLY	54 - 58	54 - 58	1,20 X 20	M5X15	M8	120	8,43
2PQ 0054 SLY	60 - 65	2"	1,20 X 20	M5X15	M8	120	8,69
2PQ 0056 SLY	64 - 71	64 - 71	1,20 X 20	M5X15	M8	75	6,82
2PQ 0067 SLY	68 - 74	68 - 74	1,50 X 25	M6X30	M10	75	7,03
2PQ 0075 SLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M10	40	7,34
2PQ 0083 SLY	83 - 93	83 - 93	1,50 X 20	M6X30	M10	40	7,58
2PQ 0086 SLY	87 - 96	3 "	1,50 X 25	M6X30	M10	40	7,12
2PQ 0097 SLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	M10	40	7,52
2PQ 0101 SLY	109 - 119	4 "	1,50 X 25	M6X30	M10	40	8,52
2PQ 0123 SLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M10	50	11,97
2PQ 0138 SLY	135 - 146	5 "	2,00 X 25	M6X30	M10	25	7,67
2PQ 0160 SLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M10	25	8,32
2PQ 0166 SLY	158 - 169	6 "	2,00 X 25	M6X30	M10	25	8,65
2PQ 0195 SLY	197 - 207	7"	2,00 X 25	M6X30	M10	25	9,10
2PQ 0216 SLY	216 - 224	8"	2,00 X 25	M6X30	M10	20	9,30
2PQ 0270 SLY	269 - 275	10"	2,00 X 25	M6X30	M10	10	8,61


NO RUBBER PIPE CLAMP WITH COMBI NUT



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 KSLY	20 - 24	1/2"	1,00 X 20	M5X15	M8/10	300	13,03
2PQ 0018 KSLY	23 - 27	23 - 27	1,00 X 20	M5X15	M8/10	300	13,73
2PQ 0020 KSLY	25 - 30	3/4"	1,00 X 20	M5X15	M8/10	300	13,89
2PQ 0025 KSLY	31 - 36	1"	1,00 X 20	M5X15	M8/10	200	10,05
2PQ 0032 KSLY	36 - 43	1 1/4"	1,20 X 20	M5X15	M8/10	200	11,77
2PQ 0040 KSLY	44 - 50	1 1/2"	1,20 X 20	M5X15	M8/10	100	9,43
2PQ 0048 KSLY	54 - 58	54 - 58	1,20 X 20	M5X15	M8/10	120	9,57
2PQ 0054 KSLY	60 - 65	2"	1,20 X 20	M5X15	M8/10	120	8,52
2PQ 0056 KSLY	64 - 71	64 - 71	1,20 X 20	M5X15	M8/10	75	6,67
2PQ 0067 KSLY	68 - 74	68 - 74	1,50 X 25	M6X30	M8/10	75	6,89
2PQ 0075 KSLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	M8/10	50	8,12
2PQ 0083 KSLY	83 - 93	83 - 93	1,50 X 20	M6X30	M8/10	40	7,20
2PQ 0086 KSLY	87 - 96	3 "	1,50 X 25	M6X30	M8/10	40	7,67
2PQ 0097 KSLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	M8/10	40	7,69
2PQ 0101 KSLY	109 - 119	4 "	1,50 X 25	M6X30	M8/10	40	8,80
2PQ 0123 KSLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	M8/10	50	12,36
2PQ 0138 KSLY	135 - 146	5 "	2,00 X 25	M6X30	M8/10	25	7,12
2PQ 0160 KSLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	M8/10	25	8,54
2PQ 0166 KSLY	158 - 169	6 "	2,00 X 25	M6X30	M8/10	25	8,56
2PQ 0195 KSLY	197 - 207	7"	2,00 X 25	M6X30	M8/10	25	9,39
2PQ 0216 KSLY	216 - 224	8"	2,00 X 25	M6X30	M8/10	20	9,59
2PQ 0270 KSLY	269 - 275	10"	2,00 X 25	M6X30	M8/10	10	8,80


NO RUBBER PIPE CLAMP WITH TRIPHONE 7X100



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 KLY	20 - 24	1/2"	1,00 X 20	M5X15	7 X 70	200	9,01
2PQ 0018 KLY	23 - 27	23 - 27	1,00 X 20	M5X15	7 X 70	200	9,12
2PQ 0020 KLY	25 - 30	3/4"	1,00 X 20	M5X15	7 X 70	200	9,22
2PQ 0025 KLY	31 - 36	1"	1,00 X 20	M5X15	7 X 70	200	10,19
2PQ 0032 KLY	36 - 43	1 1/4"	1,20 X 20	M5X15	7 X 70	150	8,83
2PQ 0040 KLY	44 - 50	1 1/2"	1,20 X 20	M5X15	7 X 70	100	6,11
2PQ 0048 KLY	54 - 58	54 - 58	1,20 X 20	M5X15	7 X 70	100	6,60
2PQ 0054 KLY	60 - 65	2"	1,20 X 20	M5X15	7 X 70	75	5,90
2PQ 0056 KLY	64 - 71	64 - 71	1,20 X 20	M5X15	7 X 70	75	5,72
2PQ 0067 KLY	68 - 74	68 - 74	1,50 X 25	M6X30	7 X 70	40	6,30
2PQ 0075 KLY	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 70	40	6,11
2PQ 0083 KLY	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 70	40	7,30
2PQ 0086 KLY	87 - 96	3 "	1,50 X 25	M6X30	7 X 70	40	7,08
2PQ 0097 KLY	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 70	40	7,28
2PQ 0101 KLY	109 - 119	4 "	1,50 X 25	M6X30	7 X 70	40	7,66
2PQ 0123 KLY	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 70	30	7,18
2PQ 0138 KLY	135 - 146	5 "	2,00 X 25	M6X30	7 X 70	25	7,08
2PQ 0160 KLY	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 70	25	6,40
2PQ 0166 KLY	158 - 169	6 "	2,00 X 25	M6X30	7 X 70	25	8,44
2PQ 0195 KLY	197 - 207	7"	2,00 X 25	M6X30	7 X 70	15	8,54
2PQ 0216 KLY	216 - 224	8"	2,00 X 25	M6X30	7 X 70	10	8,71
2PQ 0270 KLY	269 - 275	10"	2,00 X 25	M6X30	7 X 70	7	8,36



NO RUBBER PIPE CLAMP WITH TRIPHONE 7X100



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 ULY	20 - 24	1/2"	1,00 X 20	M5X15	7 X 100	150	8,34
2PQ 0018 ULY	23 - 27	23 - 27	1,00 X 20	M5X15	7 X 100	150	8,34
2PQ 0020 ULY	25 - 30	3/4"	1,00 X 20	M5X15	7 X 100	150	8,44
2PQ 0025 ULY	31 - 36	1"	1,00 X 20	M5X15	7 X 100	150	8,54
2PQ 0032 ULY	36 - 43	1 1/4"	1,20 X 20	M5X15	7 X 100	100	8,63
2PQ 0040 ULY	44 - 50	1 1/2"	1,20 X 20	M5X15	7 X 100	75	6,11
2PQ 0048 ULY	54 - 58	54 - 58	1,20 X 20	M5X15	7 X 100	75	6,89
2PQ 0054 ULY	60 - 65	2"	1,20 X 20	M5X15	7 X 100	50	4,70
2PQ 0056 ULY	64 - 71	64 - 71	1,20 X 20	M5X15	7 X 100	50	4,56
2PQ 0067 ULY	68 - 74	68 - 74	1,50 X 25	M6X30	7 X 100	40	6,80
2PQ 0075 ULY	75 - 84	2 1/2 "	1,50 X 25	M6X30	7 X 100	40	6,60
2PQ 0083 ULY	83 - 93	83 - 93	1,50 X 20	M6X30	7 X 100	30	5,80
2PQ 0086 ULY	87 - 96	3 "	1,50 X 25	M6X30	7 X 100	30	5,63
2PQ 0097 ULY	94 - 104	3 1/2 "	1,50 X 25	M6X30	7 X 100	30	7,57
2PQ 0101 ULY	109 - 119	4 "	1,50 X 25	M6X30	7 X 100	30	7,86
2PQ 0123 ULY	118 - 125	4 1/2 "	2,00 X 25	M6X30	7 X 100	25	7,18
2PQ 0138 ULY	135 - 146	5 "	2,00 X 25	M6X30	7 X 100	20	6,31
2PQ 0160 ULY	150 - 162	5 1/2 "	2,00 X 25	M6X30	7 X 100	20	6,80
2PQ 0166 ULY	158 - 169	6 "	2,00 X 25	M6X30	7 X 100	20	6,40
2PQ 0195 ULY	197 - 207	7"	2,00 X 25	M6X30	7 X 100	15	8,44
2PQ 0216 ULY	216 - 224	8"	2,00 X 25	M6X30	7 X 100	10	8,75
2PQ 0270 ULY	269 - 275	10"	2,00 X 25	M6X30	7 X 100	7	8,34




NO RUBBER PIPE CLAMP WITH NUT



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	S (mm)	Pcs/box	(kg)
2PQ 0015 SLY	20 - 24	1/2"	1,00 X 20	M5X15	M8	300	11,50
2PQ 0018 SLY	23 - 27	23 - 27	1,00 X 20	M5X15	M8	300	11,65
2PQ 0020 SLY	25 - 30	3/4"	1,00 X 20	M5X15	M8	300	12,23
2PQ 0025 SLY	31 - 36	1"	1,00 X 20	M5X15	M8	200	8,92
2PQ 0032 SLY	36 - 43	1 1/4"	1,20 X 20	M5X15	M8	200	10,29
2PQ 0040 SLY	44 - 50	1 1/2"	1,20 X 20	M5X15	M8	100	6,31
2PQ 0048 SLY	54 - 58	54 - 58	1,20 X 20	M5X15	M8	120	8,43
2PQ 0054 SLY	60 - 65	2"	1,20 X 20	M5X15	M8	120	8,69
2PQ 0056 SLY	64 - 71	64 - 71	1,20 X 20	M5X15	M8	75	6,82
2PQ 0067 SLY	68 - 74	68 - 74	1,50 X 25	M6X30	M10	75	7,03
2PQ 0075 SLY	75 - 84	2 1/2"	1,50 X 25	M6X30	M10	40	7,34
2PQ 0083 SLY	83 - 93	83 - 93	1,50 X 20	M6X30	M10	40	7,58
2PQ 0086 SLY	87 - 96	3"	1,50 X 25	M6X30	M10	40	7,12
2PQ 0097 SLY	94 - 104	3 1/2"	1,50 X 25	M6X30	M10	40	7,52
2PQ 0101 SLY	109 - 119	4"	1,50 X 25	M6X30	M10	40	8,52
2PQ 0123 SLY	118 - 125	4 1/2"	2,00 X 25	M6X30	M10	50	11,97
2PQ 0138 SLY	135 - 146	5"	2,00 X 25	M6X30	M10	25	7,67
2PQ 0160 SLY	150 - 162	5 1/2"	2,00 X 25	M6X30	M10	25	8,32
2PQ 0166 SLY	158 - 169	6"	2,00 X 25	M6X30	M10	25	8,65
2PQ 0195 SLY	197 - 207	7"	2,00 X 25	M6X30	M10	25	9,10
2PQ 0216 SLY	216 - 224	8"	2,00 X 25	M6X30	M10	20	9,30
2PQ 0270 SLY	269 - 275	10"	2,00 X 25	M6X30	M10	10	8,61

ITALIAN TYPE PIPE CLAMP (SET)




SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

**3 products are packed in a plastic bag

Product Code	Dimensions		Thickness X Width	Side Screws	Plastic Dubel & Adaptor	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)	TXB (mm)	R (mm)	E x T2x L	S (mm)	Pcs/box	(kg)
2PQ 0020 A8x80 IT	20	1/2 "	1,50 X 20	M6 X 20	8 x 8 x 80	M8	130	14,62
2PQ 0025 A8x80 IT	25	3/4 "	1,50 X 20	M6 X 20	8 x 8 x 80	M8	130	10,57
2PQ 0032 A8x80 IT	32	1 "	2,00 X 20	M6 X 20	8 x 8 x 80	M8	120	12,37
2PQ 0040 A8x80 IT	40	1 1/4 "	2,00 X 20	M6 X 25	8 x 8 x 80	M8	100	9,91
2PQ 0048 A8x80 IT	48	1 1/2 "	2,00 X 20	M6 X 25	8 x 8 x 80	M8	100	10,06
2PQ 0056 A8x80 IT	56	2 "	2,00 X 20	M6 X 25	8 x 8 x 80	M8	60	7,01
2PQ 0075 A10x80 IT	75	2 1/2 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	40	8,54
2PQ 0090 A10x80 IT	86	3 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	40	8,06
2PQ 0110 A10x80 IT	101	4 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	35	9,25
2PQ 0160 A10x80 IT	166	6 "	2,00 X 25	M6 X 30	10 x 10 x 80	M10	20	9,00



ITALIAN TYPE PIPE CLAMP



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6

Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)					
2PQ 0020 IT	20	1/2 "	1,50 X 20	M6 X 20	M8	300	14,33
2PQ 0025 IT	25	3/4 "	1,50 X 20	M6 X 20	M8	200	10,36
2PQ 0032 IT	32	1 "	2,00 X 20	M6 X 20	M8	200	12,13
2PQ 0040 IT	40	1 1/4 "	2,00 X 20	M6 X 20	M8	100	9,71
2PQ 0048 IT	48	1 1/2 "	2,00 X 20	M6 X 20	M8	120	9,86
2PQ 0056 IT	56	2 "	2,00 X 20	M6 X 20	M8	75	6,87
2PQ 0075 IT	75	2 1/2 "	2,00 X 25	M6 X 25	M10	50	8,37
2PQ 0086 IT	86	3 "	2,00 X 25	M6 X 25	M10	40	7,90
2PQ 0101 IT	101	4 "	2,00 X 25	M6 X 25	M10	40	9,07
2PQ 0166 IT	166	6 "	2,00 X 25	M6 X 25	M10	20	8,82


ITALIAN TYPE PIPE CLAMP COMBI (M8/M10)



SIZE	BREAKING LOAD	RECOMMENDED LOAD
	(KN)	(KN)
1/2" - 1"	3,9	1,3
1 1/4" - 2"	4,8	1,6
3" - 4"	6,9	2,3
4 1/2" - 10"	7,8	2,6


Product Code	Dimensions		Thickness X Width	Side Screws	Nut	Quantity Per Boxes	Weight Per Box
	(mm)	(inch)					
2PQ 0020 IT	20	1/2 "	1,50 X 20	M6 X 20	M8/M10	300	14,47
2PQ 0025 IT	25	3/4 "	1,50 X 20	M6 X 20	M8/M10	200	10,46
2PQ 0032 IT	32	1 "	2,00 X 20	M6 X 20	M8/M10	200	12,25
2PQ 0040 IT	40	1 1/4 "	2,00 X 20	M6 X 20	M8/M10	100	9,81
2PQ 0048 IT	48	1 1/2 "	2,00 X 20	M6 X 20	M8/M10	120	9,96
2PQ 0056 IT	56	2 "	2,00 X 20	M6 X 20	M8/M10	75	6,94
2PQ 0075 IT	75	2 1/2 "	2,00 X 25	M6 X 25	M8/M10	50	8,45
2PQ 0086 IT	86	3 "	2,00 X 25	M6 X 25	M8/M10	40	7,98
2PQ 0101 IT	101	4 "	2,00 X 25	M6 X 25	M8/M10	40	9,16
2PQ 0166 IT	166	6 "	2,00 X 25	M6 X 25	M8/M10	20	8,91

STAINLESS STEEL CLAMP WITH NUT



Product Code	Dimensions		Thickness X Width	Side Screws		Nut
	(mm)	(inch)		R (mm)	S (mm)	
2PQ 0020 PS	21 - 26	1/2 "	2,00 X 20	M6X30	M8	
2PQ 0025 PS	26 - 30	3/4 "	2,00 X 20	M6X30	M8	
2PQ 0032 PS	33 - 37	1 "	2,00 X 20	M6X30	M8	
2PQ 0040 PS	40 - 46	1 1/4 "	2,00 X 20	M6X30	M8	
2PQ 0048 PS	48 - 53	1 1/2 "	2,00 X 20	M6X30	M8	
2PQ 0056 PS	60 - 66	2 "	2,50 X 25	M6X30	M10	
2PQ 0075 PS	75 - 84	2 1/2 "	2,50 X 25	M8X30	M10	
2PQ 0086 PS	87 - 96	3 "	2,50 X 25	M8X30	M10	
2PQ 0101 PS	109 - 119	4 "	2,50 X 25	M8X30	M10	
2PQ 0138 PS	135 - 146	5 "	2,50 X 25	M8X30	M10	
2PQ 0166 PS	158 - 169	6 "	2,50 X 25	M8X30	M10	

STAINLESS STEEL CLAMP WITH COMBI NUT



Product Code	Dimensions		Thickness X Width	Side Screws		Nut
	(mm)	(inch)		R (mm)	S (mm)	
2PQ 0020 PK	21 - 26	1/2 "	2,00 X 20	M6X30	M8/M10	
2PQ 0025 PK	26 - 30	3/4 "	2,00 X 20	M6X30	M8/M10	
2PQ 0032 PK	33 - 37	1 "	2,00 X 20	M6X30	M8/M10	
2PQ 0040 PK	40 - 46	1 1/4 "	2,00 X 20	M6X30	M8/M10	
2PQ 0048 PK	48 - 53	1 1/2 "	2,00 X 20	M6X30	M8/M10	
2PQ 0056 PK	60 - 66	2 "	2,50 X 25	M6X30	M8/M10	
2PQ 0075 PK	75 - 84	2 1/2 "	2,50 X 25	M8X30	M8/M10	
2PQ 0086 PK	87 - 96	3 "	2,50 X 25	M8X30	M8/M10	
2PQ 0101 PK	109 - 119	4 "	2,50 X 25	M8X30	M8/M10	
2PQ 0138 PK	135 - 146	5 "	2,50 X 25	M8X30	M8/M10	
2PQ 0166 PK	158 - 169	6 "	2,50 X 25	M8X30	M8/M10	

